This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	4	719/310314,328,320.ccls. and ((state adj	USPAT;	2004/08/23
1	4	machine) same timer\$1)	EPO; JPO; IBM TDB	18:16
2	4	719/310,314,328,320.ccls. and ((state adj machine) same timer\$1)	USPAT; US-PGPUB; EPO; JPO;	2004/08/23 18:16
3	1592	719/310,314,328,320.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/23 18:16
4	0	719/310,314,328,320.ccls. and (timer near3 (manage\$4 adj (system application	IBM_TDB USPAT; EPO; JPO; IBM TDB	2004/08/23 18:17
5	0	module))) and (state adj machine) 719/310,314,328,320.ccls. and (timer near3 (manage\$4 adj (system application module))) and (state adj machine)	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/08/23 18:17
6	263	713/502.ccls. and timer\$1	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/08/23 18:18
7	21	713/502.ccls. and (timer\$1 same (state adj machine\$1))	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/08/23 18:18
_	5817	(timer (time near3 device)) and (state adj machine)	USPAT; EPO; JPO; IBM TDB	2003/03/10
_	102	((timer (time near3 device)) and (state adj machine)) and ((API DLL\$1) near3 (function\$1 method\$1))	USPAT; EPO; JPO; IBM TDB	2003/03/07 16:48
	85	(((timer (time near3 device)) and (state adj machine)) and ((API DLL\$1) near3 (function\$1 method\$1))) and (synchronous asynchronous)	USPAT; EPO; JPO; IBM_TDB	2003/03/07 16:41
_	44	(((timer (time near3 device)) and (state adj machine)) and ((API DLL\$1) near3 (function\$1 method\$1))) and synchronous and asynchronous	USPAT; EPO; JPO; IBM_TDB	2003/03/07 16:41
_	1156	timer and (timer near3 (expire\$1 stop idle run\$3)) and (state adj machine)	USPAT; EPO; JPO; IBM TDB	2003/03/07 16:48
_	1146	(timer and (timer near3 (expire\$1 stop idle run\$3)) and (state adj machine)) and (API DLL\$1 function\$1 method\$1)	USPAT;	2003/03/07 16:48
_	50	(timer and (timer near3 (expire\$1 stop idle run\$3)) and (state adj machine)) and ((API DLL\$1) near3 (function\$1 method\$1))	USPAT; EPO; JPO; IBM TDB	2003/03/07 16:51
-	63	(timer and (timer near3 (expire\$1 stop idle run\$3)) and (state adj machine)) and ((synchronous asynchronous) adj3 (machine	USPAT; EPO; JPO; IBM_TDB	2003/03/07 17:09
-	468	system computer)) 709/314,328,320.ccls.	USPAT; EPO; JPO; IBM TDB	2003/03/07 17:09
_	24	709/314,328,320.ccls. and (state adj machine)	USPAT; EPO; JPO; IBM_TDB	2004/08/23 18:15
_	64	709/314,328,320.ccls. and timer	USPAT; EPO; JPO; IBM_TDB	2003/03/07 17:12
_	57	(709/314,328,320.ccls. and timer) and (expired run idle stop)	USPAT; EPO; JPO; IBM_TDB	2003/03/07 17:11
_	10	709/314,328,320.ccls. and timer and (state adj2 machine)	USPAT; EPO; JPO; IBM_TDB	2003/03/07 17:12

-	1	5958019.pn. and timer	USPAT;	2003/03/11
		1	EPO; JPO;	14:39
			IBM TDB	
_	105	709/310,328,329.ccls. and timer	USPAT;	2003/03/11
	103	703/310/320/323.ccis. and cimer	EPO; JPO;	15:21
			IBM TDB	13.21
	0.5			0000/00/11
-	85	timer near3 (manage\$4 adj (system	USPAT;	2003/03/11
		application module))	EPO; JPO;	15:23
			IBM_TDB	
-	9	(timer near3 (manage\$4 adj (system	USPAT;	2004/08/23
		application module))) and (state adj	EPO; JPO;	18:17
		machine)	IBM TDB	
_	13	(timer near3 (manage\$4 adj (system	USPAT;	2003/03/11
	13	application module))) and (state near3	EPO; JPO;	15:26
		timer)	IBM TDB	13.20
	1110	· · · · · · · · · · · · · · · · · · ·		2002/02/11
_	1112	timer same (state adj machine)	USPAT;	2003/03/11
			EPO; JPO;	17:10
			IBM_TDB	
-	172	(timer same (state adj machine)) and	USPAT;	2003/03/11
		(timer near3 (API interface function\$1	EPO; JPO;	17:26
		method\$1))	IBM TDB	
-	1391	(timer or (timer adj object)) same (state	USPAT;	2003/03/11
		near3 (transition transfer expire\$1))	EPO; JPO;	17:27
		Louis (classification classification experient)	IBM TDB	1
	828	 ((timer or (timer adj object)) same	USPAT;	2002/02/11
_ ,	020		l '	2003/03/11
		(state near3 (transition transfer	EPO; JPO;	17:27
		expire\$1))) and (API interface)	IBM_TDB	
-	409	(((timer or (timer adj object)) same	USPAT;	2003/03/11
		(state near3 (transition transfer	EPO; JPO;	17:27
		expire\$1))) and (API interface)) and	IBM TDB	1
		(state adj machine)		
_	7	(((timer or (timer adj object)) same	USPAT;	2003/03/11
		(state near3 (transition transfer	EPO; JPO;	17:29
		expire\$1))) and (API interface)) and	IBM TDB	
		((illegal time\$lout) adj2 message\$1)	_	
	4	((((timer or (timer adj object)) same	USPAT;	2003/03/11
		(state near3 (transition transfer	EPO; JPO;	17:32
		expire\$1))) and (API interface)) and	IBM TDB	17.52
		(state adj machine)) and ((illegal	1011-100	
		time\$1out) adj2 message\$1)		
	2	((timer near3 expire\$1) and database and	USPAT;	2002/02/11
_	2			2003/03/11
	,	API) and ((illegal or (time\$lout)) adj	EPO; JPO;	17:33
		message)	IBM_TDB	
_	165	(timer near3 expire\$1) and database and	USPAT;	2003/03/11
		API	EPO; JPO;	17:40
			IBM_TDB	
-	60	((timer near3 expire\$1) and database and	USPAT;	2003/03/11
		API) and synchronous and asynchronous	EPO; JPO;	17:42
			IBM_TDB	
-	271	(timer near3 expire\$1) and API	USPAT;	2003/03/11
			EPO; JPO;	17:40
			IBM TDB	
-	0	((timer near3 expire\$1) and API) and	USPAT;	2003/03/11
		(synchronous adj (system computer)) and	EPO; JPO;	17:41
		(asynchronous adj (system computer))	IBM TDB	
_	1	((timer near3 expire\$1) and API) and	USPAT;	2003/03/11
	1	(synchronous adj3 (system computer)) and	EPO; JPO;	17:41
	İ		IBM TDB	1,,41
	1	(asynchronous adj3 (system computer))		2002/02/11
-	86	((timer near3 expire\$1) and API) and	USPAT;	2003/03/11
		synchronous and asynchronous	EPO; JPO;	17:42
			IBM_TDB	
-	7	(timer adj management) and (state adj	USPAT;	2003/03/12
		machine)	EPO; JPO;	15:47
			IBM_TDB	
	6	(timer adj management) and (timer adj	USPAT;	2003/03/12
		(object\$1 service\$1))	EPO; JPO;	15:48
			IBM TDB	
_	6	(timer adj management) and (timer adj	USPAT;	2003/03/12
		(object\$1 service\$1)) and timer	EPO; JPO;	15:54
		() = = = = = = = = = = = = = = = = =	IBM TDB	
	1	I .		1

-	1	"5706515".PN.	USPAT	2003/03/12 15:52
-	1	"5694604".PN.	USPAT	2003/03/12 15:53
-	1	"4589093".PN.	USPAT	2003/03/12 15:54
-	7	(timer adj manage\$4) and (timer adj (object\$1 service\$1)) and timer	USPAT; EPO; JPO;	2003/03/12 15:55
_	1	"5533020".PN.	IBM_TDB USPAT	2003/03/12
_	1	"5386561".PN.	USPAT	15:56 2003/03/12
-	1	"5193186".PN.	USPAT	15:57 2003/03/12 15:57
_	1	"5193186".PN.	USPAT	2003/03/12 15:58
-	15	(transport adj module\$1) same register\$3	USPAT; EPO; JPO;	2003/03/13
-	189	(transport adj (module\$1 protocol)) and (register\$3 near3 (client\$1 application\$1	IBM_TDB USPAT; EPO; JPO;	2003/03/13
_	92	<pre>program\$1)) ((transport adj (module\$1 protocol)) and (register\$3 near3 (client\$1 application\$1</pre>	IBM_TDB USPAT; EPO; JPO;	2003/03/13 09:24
_	358	program\$1))) and queue\$3 (timer near3 (service\$1 manage\$4)) same (state (state adj machine))	IBM_TDB USPAT; EPO; JPO;	2003/03/14 10:53
_	80	((timer near3 (service\$1 manage\$4)) same (state (state adj machine))) and (timer	IBM_TDB USPAT; EPO; JPO;	2003/03/14
-	6231	near3 expir\$3) (timer or (timer adj object)) near3 state	IBM_TDB USPAT; EPO; JPO;	2003/03/14 11:16
_	713	((timer or (timer adj object)) near3 state) and (timer near3 expir\$3)	IBM_TDB USPAT; EPO; JPO; IBM TDB	2003/03/14 11:00
_	26	<pre>(((timer or (timer adj object)) near3 state) and (timer near3 expir\$3)) and ((synchronous asynchronous) adj3 (machine system computer))</pre>	USPAT; EPO; JPO; IBM_TDB	2003/03/14 11:05
_	164	<pre>system computer)) (((timer or (timer adj object)) near3 state) and (timer near3 expir\$3)) and queue</pre>	USPAT; EPO; JPO; IBM TDB	2003/03/14 11:18
_	11705	(timer or (timer adj object)) same (synch\$ asynch\$)	USPAT; EPO; JPO; IBM TDB	2003/03/14 11:17
_	821	((timer or (timer adj object)) same (synch\$ asynch\$)) and (state adj machine)	USPAT; EPO; JPO; IBM TDB	2003/03/14 11:20
-	84	((timer or (timer adj object)) same (synch\$ asynch\$)) and (timer near4 (state adj machine))	USPAT; EPO; JPO; IBM TDB	2003/03/14 11:36
_	101	timer adj object	USPAT; EPO; JPO;	2003/03/14 11:42
_	62962	(timer).ab.	IBM_TDB USPAT; EPO; JPO;	2003/03/14 11:43
_	439	(timer adj2 (object state service\$1 manag\$)).ab.	IBM_TDB USPAT; EPO; JPO;	2003/03/14 11:43
_	0	((timer adj2 (object state service\$1 manag\$)).ab.) and (synch\$ same asynch\$)	IBM_TDB USPAT; EPO; JPO;	2003/03/14 11:44
_	281	<pre>((timer adj2 (object state service\$1 manag\$)).ab.) and (state (state adj machine))</pre>	IBM_TDB USPAT; EPO; JPO; IBM TDB	2003/03/14 11:45

-	3		USPAT;	2003/03/14
10		manag\$)).ab.) and (state (state adj	EPO; JPO;	11:48
		machine))) and synch\$ and asynch\$	IBM_TDB	
-	496	713/502.ccls.	USPAT;	2003/03/17
			EPO; JPO;	15:44
			IBM TDB	1
-	222	713/502.ccls. and timer	USPAT;	2003/03/17
			EPO; JPO;	15:47
			IBM TDB	
_	26	713/502.ccls. and timer and (state adj	USPAT;	2003/03/17
		machine)	EPO; JPO;	15:47
		ind on the contract of	IBM TDB	13.17
_	1	object\$1 same (state adj machine) and	USPAT;	2003/03/17
	_	(illegal adj4 message\$1)	EPO; JPO;	16:19
		(Tilegal adj4 Messagevi)	IBM TDB	10.19
	6284	shipat(1 and /ADT interface) and /armah(USPAT;	2002/02/17
-	0204	object\$1 and (API interface) and (synch\$		2003/03/17
		same asynch\$)	EPO; JPO;	16:29
	1170		IBM_TDB	
-	1170	(object\$1 and (API interface) and (synch\$	USPAT;	2003/03/17
		same asynch\$)) and (state adj machine)	EPO; JPO;	16:29
			IBM_TDB	
-	15	((object\$1 and (API interface) and	USPAT;	2003/03/17
		(synch\$ same asynch\$)) and (state adj	EPO; JPO;	16:20
		machine)) and (illegal near3 (message\$1	IBM_TDB	
		error\$1))	_	
-	1581	(object\$1 same (API interface)) and	USPAT;	2003/03/17
		(synch\$ same asynch\$)	EPO; JPO;	16:28
			IBM TDB	
_	307	((object\$1 same (API interface)) and	USPAT;	2003/03/17
	307	(synch\$ same asynch\$)) and (state adj	EPO; JPO;	16:32
		machine)	IBM TDB	10.32
	1	"6011559".PN.	USPAT	2002/02/17
_		0011339 .PN.	USPAI	2003/03/17
		/		16:48
	8	(active adj queue) and consumer\$1	USPAT;	2003/03/18
			EPO; JPO;	14:13
	_		IBM_TDB	
-	1	6012081.pn.	USPAT;	2003/04/02
			EPO; JPO;	11:53
			IBM_TDB	
-	1	6349388.pn.	USPAT;	2003/04/02
			EPO; JPO;	11:53
			IBM_TDB	
-	1	5619510.pn.	USPAT;	2003/04/02
			EPO; JPO;	13:57
			IBM TDB	
-	1	5341478.pn.	USPĀT;	2003/04/02
		_	EPO; JPO;	13:57
			IBM TDB	
_	1	6618805.pn.	USPAT;	2004/01/15
		1.1.	EPO; JPO;	13:36
			IBM TDB	
_	1	(timer near4 expir\$4) same (illegal adj2	USPAT;	2004/01/15
		(message\$1 error\$1 exception\$1))	US-PGPUB;	16:48
		(EPO; JPO;	-00
			DERWENT;	
			IBM TDB	
	10	(times search expired) and (illeral - dia	_	2004/01/15
-	18	(timer near4 expir\$4) and (illegal adj2	USPAT;	2004/01/15
		(message\$1 error\$1 exception\$1))	US-PGPUB;	16:52
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	961031	(timer near4 expir\$4) and (illegal adj2	USPAT;	2004/01/15
		message\$1) error\$1 exception\$1	US-PGPUB;	16:52
		_	EPO; JPO;	
			DERWENT;	
		*	IBM TDB	
-	961031	(timer near4 expir\$4) same (illegal adj2	USPAT;	2004/01/15
İ		message\$1) error\$1 exception\$1	US-PGPUB;	16:53
			EPO; JPO;	10.00
			DERWENT;	
			IBM TDB	
	L	<u></u>	TDLI IDD	I

_	961031	(timer near4 expir\$4) near20 (illegal adj2 message\$1) error\$1 exception\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/15 16:53
-	391	(timer near4 expir\$4) near20 ((illegal adj2 message\$1) error\$1 exception\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/15 16:58
_	100	((timer near4 expir\$4) near20 ((illegal adj2 message\$1) error\$1 exception\$1)) and (state adj machine)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/15 16:54
_	938	(timer near3 expir\$4) same ((illegal adj2 message\$1) error\$1 exception\$1)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/15 16:59
-	126	((timer near3 expir\$4) same ((illegal adj2 message\$1) error\$1 exception\$1)) and ((application\$1 program\$1) near6	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/15 17:01
_	9	request\$1) (((timer near3 expir\$4) same ((illegal adj2 message\$1) error\$1 exception\$1)) and ((application\$1 program\$1) near6	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/15 17:06
-	23	request\$1)) and (timer near3 state\$1) (((timer near3 expir\$4) same ((illegal adj2 message\$1) error\$1 exception\$1)) and ((application\$1 program\$1) near6	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/15 17:08
	2770	request\$1)) and (timer near3 (allocat\$3 creat\$3 generat\$3)) (timer near3 (manag\$ API system)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/15 17:35
_	49	<pre>((timer near3 (manag\$ API system)).ab.) and ((avoid occur\$ incurr\$) near3 ((illegal adj2 message\$1) error\$1 exception\$1))</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/15 17:45
	11	((timer near3 (manag\$ API system)).ab.) and ((filter\$3 avoid\$3) near3 ((illegal adj2 message\$1) error\$1 exception\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/15 17:47
-	2452	timer and ((filter\$3 avoid\$3) near3 ((illegal adj2 message\$1) error\$1 exception\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/15 17:48
_	160	timer.ab. and ((filter\$3 avoid\$3) near3 ((illegal adj2 message\$1) error\$1 exception\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/15 17:48
-	134	(timer.ab. and ((filter\$3 avoid\$3) near3 ((illegal adj2 message\$1) error\$1 exception\$1))) and @ad<20000928	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/15 17:48
_	15	((timer.ab. and ((filter\$3 avoid\$3) near3 ((illegal adj2 message\$1) error\$1 exception\$1))) and @ad<20000928) and (timer near3 (API method\$1 function\$1))	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/15 17:49

<u>-</u>	1	6550515.pn.	USPAT;	2004/01/28
	_		EPO; JPO;	13:45
			IBM TDB	
_	1	6550015.pn.	USPAT;	2004/01/28
	_		EPO; JPO;	13:55
			IBM TDB	
_	182	allocat\$3 with timer\$1 with memory	USPAT;	2004/01/28
		•	US-PGPUB;	14:00
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
1 -	10	((allocat\$3 with timer\$1 with memory) and	USPAT;	2004/01/28
		(timer near3 expir\$3)) and (timer with	US-PGPUB;	14:00
		state\$1)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	37	(allocat\$3 with timer\$1 with memory) and	USPAT;	2004/01/28
		(timer near3 expir\$3)	US-PGPUB;	14:06
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
-	1	6012081.pn.	USPAT;	2004/01/28
			EPO; JPO;	15:32
			IBM_TDB	
-	1	6012081.pn. and database	USPAT;	2004/01/28
			EPO; JPO;	15:32
			IBM_TDB	
	0	5768572.pn. and (multi\$ adj2 thread\$1)	USPAT;	2004/01/28
			EPO; JPO;	15:45
			IBM_TDB	
-	0	5768572.pn. and thread\$1	USPAT;	2004/01/28
			EPO; JPO;	15:45
			IBM_TDB	